

Element Web Section

Configuration options relating to the deployed Element Web instance provided by ESS.

Config:



Element Web is the web-based client for the Matrix communication protocol. Element Web serves as a user interface for accessing Matrix homeservers, allowing users to send messages, join rooms, share files, and participate in group chats.

All settings configured via the UI in this section will be saved to your `deployment.yml`, with the contents of secrets being saved to `secrets.yml`. You will find specific configuration examples in each section.

Config Example

```
spec:
  components:
    elementWeb:
```

By default, if you do not change any settings on this page, default Element Web pod CPU and Memory requirements will be added to your configuration file/s (see example below).

Config Example

```
spec:
  components:
    elementWeb:
      k8s:
        workloads:
          resources:
            limits:
              memory: 200Mi
            requests:
              cpu: 50m
              memory: 50Mi
```

Advanced

Use Own URL for Sharing Links

permalink_prefix

☐ Use Own URL for Sharing Links

Config Example

```
spec:
  components:
    elementWeb:
      config:
        ☐# Not present if disabled
        useOwnUrlForSharingLinks: true
```

Whether the sharing links generated by this Element Web instance should use the URL of this Element Web. If turned off the sharing links use <https://matrix.to> unless a custom permalink prefix is set in the Additional Config section. If turned on, mobile clients will not detect links using the URL of this Element Web (or any other custom permalink prefix) unless they've been explicitly configured by Mobile Device Management (MDM).

Additional Configuration

There are no Element Web specific UI options available to configure, however you can inject custom config within the [Additional Configuration](#) section found under [Advanced](#). Config added here is analogous with what you would add to the [config.json](#) when manually self-hosting Element Web (or when using Element Desktop), you can read more on this and see config examples via the [Element Web Configuration Doc](#).

Additional configuration

Element web additional configuration.

1

Config Example

```
spec:
  components:
    elementWeb:
      config:
        additionalConfig: |-
          "setting_defaults": {
            "custom_themes": [
              {
```

```

"name": "Electric Blue",
"is_dark": false,
"fonts": {
  "faces": [
    {
      "font-family": "Inter",
      "src": [{ "url": "/fonts/Inter.ttf", "format": "ttf" }]
    }
  ],
  "general": "Inter, sans",
  "monospace": "'Courier New'"
},
"colors": {
  "accent-color": "#3596fc",
  "primary-color": "#368bd6",
  "warning-color": "#ff4b55",
  "sidebar-color": "#27303a",
  "roomlist-background-color": "#f3f8fd",
  "roomlist-text-color": "#2e2f32",
  "roomlist-text-secondary-color": "#61708b",
  "roomlist-highlights-color": "#ffffff",
  "roomlist-separator-color": "#e3e8f0",
  "timeline-background-color": "#ffffff",
  "timeline-text-color": "#2e2f32",
  "timeline-text-secondary-color": "#61708b",
  "timeline-highlights-color": "#f3f8fd",
  "username-colors": ["#ff0000", ...]
  "avatar-background-colors": ["#cc0000", ...]
}
}
]
}

```

Common Configurations

Permalinks

If you would like to override the default permalink `matrix.to` for your homeserver, you can do so by adding the following entry to your `Additional Configuration`

```
"permalinkPrefix": "https://<element fqdn>"
```

Theming

Refer to the [Element Web Theming Documentation](#) for more information, see an example below where a custom theme has been applied to change the look and feel of the deployed Element Client. For some public examples of customised login screens see [Mozilla](#) and [Fedora](#)'s customised clients.

```
"setting_defaults": {
  "custom_themes": [
    {
      "name": "Electric Blue",
      "is_dark": false,
      "fonts": {
        "faces": [
          {
            "font-family": "Inter",
            "src": [{"url": "/fonts/Inter.ttf", "format": "ttf"}]
          }
        ],
        "general": "Inter, sans",
        "monospace": "'Courier New'"
      },
      "colors": {
        "accent-color": "#3596fc",
        "primary-color": "#368bd6",
        "warning-color": "#ff4b55",
        "sidebar-color": "#27303a",
        "roomlist-background-color": "#f3f8fd",
        "roomlist-text-color": "#2e2f32",
        "roomlist-text-secondary-color": "#61708b",
        "roomlist-highlights-color": "#ffffff",
        "roomlist-separator-color": "#e3e8f0",
        "timeline-background-color": "#ffffff",
        "timeline-text-color": "#2e2f32",
        "timeline-text-secondary-color": "#61708b",
        "timeline-highlights-color": "#f3f8fd",
        "username-colors": ["#ff0000", ...]
        "avatar-background-colors": ["#cc0000", ...]
      }
    }
  ]
}
```

```
}  
]  
}
```

You can also modify the homepage for the Element Web client, to do so requires modification to your Well-Known Delegations' [Additional Configuration](#), see [Element Web Custom Home](#) for more information and specifically the Well-Known Delegation documentation page under the Integrations chapter.

Revision #1

Created 4 June 2025 09:18:10 by Kieran Mitchell Lane

Updated 4 June 2025 09:18:10 by Kieran Mitchell Lane