

Preparing Element Server Suite PoC

Please [reach out our Element Sales Team](#) if you want to run a Proof of Concept for Element Server Suite.

Note This guide is for running Proof of Concepts. We don't aim to show every feature here, we want to get you up and running most quickly. This guide is focusing on connected standalone installations currently. There are scenarios currently not covered by this guide. Installing into airgapped / disconnected environments, or testing our Cloud Based offering.

A Proof-of-Concept is done in preparation of a subscription sale with the goal of demonstrating the required capabilities.

Create an account on element.io

Please create an account on [element.io](#). We will enable this account as part of the PoC process and grant you access to the Element Server Suite software packages.

Communication via matrix room

The account team will create a matrix room to improve communication and invite you. To do this We will need your Matrix ID (MXID) to invite you.

If you don't already have a MXID, you can create one [here](#) by signing up. This will create an account on matrix.org, you can authenticate via several identity providers.

When you have a MXID, we recommend adding it to your EMS Account via `Your Account`, `Account`. You should then send this to the account team so they can add you to the room. You could use the Element Web Client that you used to create the account or install one of the Element Mobile apps from the App or Playstore.

PoC preparation

Element Server Suite can be installed in a Kubernetes Cluster or as a standalone installation on top of an Operating System (RHEL 8/9 or Ubuntu 20.04/22.04). Most Proof-of-Concept installations will select the Standalone Installation on top of a VM which we recommend for speed and ease of operation.

[Click here](#) for an overview of the Element Server Suite. [Here is the link](#) detailing the single node installation.

Preparation of the VM and Ports

Please set up a VM with **8 vCPUs** and **32GB RAM** and **100 GB Storage**. If this sounds like a lot of resources to you, the requirements do in fact vary and could be scaled down later if required. Install Ubuntu 20.04 LTS or RHEL8. Update the system to the latest available patches and create a user to be used for maintaining the Element Server Suite. See our documentation for this step [here](#).

You will need to be able to reach the VM on Ports 80, 443 and 8443.

DNS Names and Certificates

You need to select a base domain for the Server. This can differ from the base domain of the matrix IDs but is often the same. Read more about this in the section on Matrix IDs and Well Known delegation below.

You have chosen eng.acme.com. The following DNS entries must be prepared and point to the external IP of the VM.

This results in the following hostnames for you :

- eng.acme.com (base domain - might already exist)
- matrix.eng.acme.com (the synapse homeserver)
- element.eng.acme.com (element web)
- admin.eng.acme.com (admin dashboard)
- integrator.eng.acme.com (integration manager)
- hookshot.eng.acme.com (Our integrations)

Optional for Monitoring and Integrations :

- grafana.eng.acme.com (Our Grafana server)

Optional for Video Chat with Jitsi :

- jitsi.eng.acme.com (Our VoIP platform)
- coturn.eng.acme.com (Our TURN server)

Optional for Video Chat with Element Call :

- call.acme.com (Element Call)
- sfu.acme.com (Selective Forwarding Unit)

Optional for Element X support :

- sliding-sync.acme.com

Optional for the Admin / Audit functionality :

- roomadmin.eng.acme.com
- audit.eng.acme.com

We require certificates for all these hostnames including the base domain to enable SSL/TLS encryption. The quick and easy way is to use the embedded letsencrypt. This is only available if you are in a connected environment. You can provide and use your [own certificates](#).

Matrix IDs & Well Know delegation

Matrix IDs have the following format :

@USER:SERVER

In our example case the matrix server is matrix.eng.acme.com. If a user Tom Maier has a username **tmaier** in your LDAP, this would lead to an MXID **@tmaier:matrix.eng.acme.com**. This is often not desired as we like to keep the MXIDs short. It is more elegant to drop the "matrix" host name from the MXIDs. Tom's MXID would look like this **@tmaier:eng.acme.com**.

In order to be able to offer matrix IDs with the base domain, we recommend setting up a reverse proxy on eng.acme.com, which forwards `https://eng.acme.com/.well-known/matrix/` to the matrix/synapse server on `https://matrix.eng.acme.com/.well-known/matrix`. Or you shorten the hostname part of your MXIDs even more to acme.com, this would require you to put the reverse proxy onto acme.com.

The configuration on your Apache WebServer should be similar to this :

```
ProxyPass          /.well-known/matrix/ https://matrix.eng.acme.com/.well-
known/matrix/
ProxyPassReverse   /.well-known/matrix/ https://matrix.eng.acme.com/.well-
known/matrix/
ProxyPreserveHost On
```

More about well-known and MXIDs can be found in our Upstream Documentation [here](#) and [here](#). Further configurations can be made using the well-known mechanism. An example is documented [here](#).

Authentication and Postgres DB

The quickest setup is using local authentication and users only. This is what we recommend in a Proof-of-Concept situation. User accounts are created in the local Postgresql DB (recommended only up to 300 users) through our Admin UI or through API scripts for automation in this case. We support many mechanisms for AUthentication like LDAP, SAML2 and OIDC. We recommend to configure these as a 2nd step only if required.

You have the option to use an internal or external Postgres DB. We do recommend to use the internal Postgres DB for Proof-of-Concept installations. The internal Postgres DB is only available when you are opting for the Standalone Installation on top of an Operating System. You will need an external Postgres DB when installing into an existing Kubernetes cluster.

Checklist before starting the installation

Please prepare the above items before starting the installation. Make sure you have :

- created and communicated your MXID to the Element Sales Team
- registered an account on element.io
- created and prepared your vm / machine with enough resources
- created DNS entries
- decided on letsencrypt / created host certificates for your hostnames
- installed the reverse proxy on the webserver of your MXID URL e.g. eng.acme.com or acme.com

Don't hesitate to reach out to your Element Sales Team for support. We are here to guide you.

Revision #45

Created 2023-04-25 15:05:17 UTC

Updated 2025-06-04 09:34:21 UTC by Kieran Mitchell Lane